Fujitsu recommends Windows 8 Pro.



# Data Sheet Fujitsu LIFEBOOK N532 Notebook


# The Big-screen Multitalent

If you need a powerful desktop replacement then the Fujitsu LIFEBOOK N532 is the perfect choice. Its high-definition 43.9 cm (17.3-inch) widescreen display allows you to check all your important applications at the same time. The powerful NVIDIA® GeForce® discrete graphics provides you with enhanced graphics performance. Additionally the integrated WLAN, Bluetooth, optionally embedded 3G/UMTS and a full HD webcam provide connectivity and convenience anytime and anywhere.

#### High performance computing

Experience the smart family of Intel® Core™ processors that deliver performance that adapts to your needs, making laptops faster and more responsive

■ Up to 3rd generation Intel® Core™ processors and latest Intel® mobile platform.



Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby

Integrated WLAN and Bluetooth®, optional embedded 3G/UMTS, full HD webcam, and digital microphone

# Usability and comfort

Comfortable and ergonomic working in every situation even for the most demanding of users.

Anti-glare and therefore outdoor-friendly display panel, large display size of 43.9 cm (17.3-inch) for multi-viewing, 2nd hard disk drive for more storage capacity, Anytime USB Charge functionality to charge telephone and media devices even when the system is switched off, on/off switchable HD webcam, spill-resistant isolation keyboard with full num pad

## More security for your data

Protect your company data against unauthorized third-party access.

 Optionally integrated TPM module to encrypt your data, 2nd hard disk drive with Raid function, Computrace® enabled BIOS

# Excellent graphics performance

NVIDIA® Optimus™ technology seamlessly and intelligently optimizes battery life while delivering the outstanding graphics performance you expect while editing your HD videos or retouching your highres photos with stunning clarity.

Powerful NVIDIA® GeForce® GT 620M discrete graphics with 1 GB video memory and NVIDIA® Optimus™ technology for graphically rich content, HD+ or FullHD display options for pin-sharp picture quality, 16:9 widescreen format and optional integrated Blu-ray Disc™ drive













# Components

Processor	Intel® Core™ i7-3630QM processor (2.4 GHz, up to, 6 MB) *						
	Intel® Core™ i7-3610QM processor (2.3 GHz, up to 3.3 GHz, 6 MB) *						
	Intel® Core™ i7-3520M processor (2.9 GHz, up to 3.6 GHz, 4 MB)						
	Intel® Core™ i5-3230M proc		·				
	Intel® Core™ i3-3120M proc						
	Intel® Core™ i3-3110M proc	essor (2.4 GHz, 3 MB) *	•				
perating systems							
Operating system	Windows® 7 Professional	Windows 8	Windows® 7 Professional	Windows 8			
	64-bit	Windows 8 Pro	64-bit	Windows 8 Pro			
	Windows® 7 Home Premiun	1	Windows® 7 Home Premiur 64-bit	٦			
	64-bit						
Memory modules	2 GB (1 module(s) 2 GB) DC	)R3, 1600 MHz, PC3-12	800, SO DIMM				
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM						
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM						
ase unit memory	LIFEBOOK N532 HD+		LIFEBOOK N532 FHD				
upported capacity RAM (min.)	2 GB						
Supported capacity RAM (max.)	16 GB						
Nemory slots total	2						
Nemory slot type	SO DIMM (DDR3, 1600 MHz	SO DIMM (DDR3, 1600 MHz)					
ard disk drives (internal)	SSD SATA III, 256 GB, 2.5-inch						
	SSD SATA III, 128 GB, 2.5-inch						
	SATA, 5400 rpm, 750 GB, 2.5-inch, S.M.A.R.T.						
	SATA, 5400 rpm, 500 GB, 2.5-inch, S.M.A.R.T.						
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.						
	SATA, 5400 rpm, 2 TB (2 x 1 TB), 2.5-inch, S.M.A.R.T.						
	SATA, 5400 rpm, 1.5 TB (2 x 750 GB), 2.5-inch, S.M.A.R.T.						
	SATA, 5400 rpm, 1 TB (2 x 500 GB), 2.5-inch, S.M.A.R.T.						
	SATA, 5400 rpm, 1 TB, 2.5-inch, S.M.A.R.T.						
Hard disk notes	Option of second hard disk drive (only same HDD sizes are compatible) or combination of hard disk drive (HDD) and						
	solid state disk (SSD).						
	Raid function (optional, if two HDDs are installed): Raid 0: stripe set for performance						
	Raid 1: mirroring for security						
	Hard disk capacity depends on exact configuration. Please check at your local retailer.						
	Up to 20 GB of HDD space is reserved for system recovery						
VLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n						
	Intel® Centrino® Wireless-N2200 b/g/n						
Vireless technologies							
luetooth	Integrated V4.0 + HS						
VLAN encryption	WEP, WPA, WPA2						
VLAN max. data rate	up to 300 Mbit/s						
VLAN notes	Import and usage according	to country-specific reg	ulations.				
3G/4G (optional)	Sierra Wireless Gobi 3000 (E	Downlink speed 14.4 Ml	bit/s, Uplink speed 5.76 Mbit/s)				
Optical drive options	Blu-ray Disc™ Triple Writer						
	DVD Super Multi						

Page 2 / 7 www.fujitsu.com/fts/mobile

display, 1600 x 900 pixe Anti Glare panel 16:9 220 cd/m² 300:1  NVIDIA® GeForce® GT 62: NVIDIA® Optimus™ techn NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	0M	display, 1920 x 1080 pixe 300 cd/m² 500:1	so that you obtain extreme		
Black/anthracite  43.9 cm (17.3-inch), LEC display, 1600 x 900 pixe Anti Glare panel 16:9 220 cd/m² 300:1  NVIDIA® GeForce® GT 62  NVIDIA® Optimus™ technologue formance boost for his DirectX® 11 support 1 GB (DDR3 VRAM)	D backlight, (HD+), Anti-glare l, 300:1, 220 cd/m² OM nology igy lets your graphics card take o	43.9 cm (17.3-inch), LED display, 1920 x 1080 pixe 300 cd/m <sup>2</sup> 500:1	o backlight, (Full HD), Anti-glare el, 500:1, 300 cd/m² so that you obtain extreme		
43.9 cm (17.3-inch), LEE display, 1600 x 900 pixe Anti Glare panel 16:9 220 cd/m² 300:1 NVIDIA® GeForce® GT 62: NVIDIA® Optimus™ techn NVIDIA® Cuda™ technoloperformance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	D backlight, (HD+), Anti-glare l, 300:1, 220 cd/m² OM nology igy lets your graphics card take o	43.9 cm (17.3-inch), LED display, 1920 x 1080 pixe 300 cd/m <sup>2</sup> 500:1	o backlight, (Full HD), Anti-glare el, 500:1, 300 cd/m² so that you obtain extreme		
43.9 cm (17.3-inch), LEE display, 1600 x 900 pixe Anti Glare panel 16:9 220 cd/m² 300:1 NVIDIA® GeForce® GT 62: NVIDIA® Optimus™ techn NVIDIA® Cuda™ technoloperformance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	D backlight, (HD+), Anti-glare l, 300:1, 220 cd/m² OM nology igy lets your graphics card take o	43.9 cm (17.3-inch), LED display, 1920 x 1080 pixe 300 cd/m <sup>2</sup> 500:1	o backlight, (Full HD), Anti-glare el, 500:1, 300 cd/m² so that you obtain extreme		
display, 1600 x 900 pixe Anti Glare panel 16:9 220 cd/m² 300:1  NVIDIA® GeForce® GT 62: NVIDIA® Optimus™ techn NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	I, 300:1, 220 cd/m <sup>2</sup> OM  nology  gy lets your graphics card take o	display, 1920 x 1080 pixe 300 cd/m² 500:1	el, 500:1, 300 cd/m² so that you obtain extreme		
display, 1600 x 900 pixe Anti Glare panel 16:9 220 cd/m² 300:1  NVIDIA® GeForce® GT 62: NVIDIA® Optimus™ techn NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	I, 300:1, 220 cd/m <sup>2</sup> OM  nology  gy lets your graphics card take o	display, 1920 x 1080 pixe 300 cd/m² 500:1	el, 500:1, 300 cd/m² so that you obtain extreme		
display, 1600 x 900 pixe Anti Glare panel 16:9 220 cd/m² 300:1  NVIDIA® GeForce® GT 62: NVIDIA® Optimus™ techn NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	I, 300:1, 220 cd/m <sup>2</sup> OM  nology  gy lets your graphics card take o	display, 1920 x 1080 pixe 300 cd/m² 500:1	el, 500:1, 300 cd/m² so that you obtain extreme		
Anti Glare panel  16:9  220 cd/m²  300:1  NVIDIA® GeForce® GT 62  NVIDIA® Optimus™ techn  NVIDIA® Cuda™ technolo  performance boost for hi  DirectX® 11 support  1 GB (DDR3 VRAM)	OM nology gy lets your graphics card take o	300 cd/m² 500:1  over complex computations s	so that you obtain extreme		
16:9 220 cd/m² 300:1  NVIDIA® GeForce® GT 62  NVIDIA® Optimus™ technologoperformance boost for his DirectX® 11 support  1 GB (DDR3 VRAM)	nology ogy lets your graphics card take o	500:1			
NVIDIA® GeForce® GT 620 NVIDIA® Optimus™ techn NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	nology ogy lets your graphics card take o	500:1			
NVIDIA® GeForce® GT 620 NVIDIA® Optimus™ techn NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	nology ogy lets your graphics card take o	over complex computations s			
NVIDIA® Optimus™ techr NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	nology ogy lets your graphics card take o				
NVIDIA® Optimus™ techr NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	nology ogy lets your graphics card take o				
NVIDIA® Optimus™ techr NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	nology ogy lets your graphics card take o				
NVIDIA® Cuda™ technolo performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)	ngy lets your graphics card take o				
performance boost for hi DirectX® 11 support 1 GB (DDR3 VRAM)					
1 GB (DDR3 VRAM)					
1 x 4in1 Card Reader (SC					
1 x 4in1 Card Reader (SD					
וא אוווד כמוט ווכמטכו ואד	/SDHC/MS/MS Pro)				
1 (34 / 54 mm)					
1 (only for models with i	ntegrated 3G/UMTS or 4G/LTE m	iodule)			
3 (incl. 1x Anytime USB	Charge functionality)				
1 (incl. 1x eSATA/USB co	mbo)				
1					
1 HDMI port 1.4a (outpu	t 24-bit color depth)				
1					
1					
1					
1					
1					
10/100/1000 MBit/s					
Spill-resistant isolated keyboard with number block					
•					
Status LED					
On board					
	DTS Boost™ - maximizes acous	tic nower of your notebook b	y hoosting perceived overall leve		
of the mix, Sound volume control via function key					
Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and the Symbol together are registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes software. © DTS, Inc. All Rights					
Built-in webcam, HD					
19 V / 120 W (6 32 A) St	andard Adapter 0.430 kg 145x	 <56x33 mm			
	3 (incl. 1x Anytime USB of 1 (incl. 1x eSATA/USB cord) 1 HDMI port 1.4a (output) 1 1 1 1 1 (digital) 1 1 1 (digital) 1 1 1 1 (digital) 1 O/100/1000 MBit/s  Spill-resistant isolated ker Touchpad Status LED  On board Realtek ALC269Q-GR Internal stereo speakers, of the mix, Sound volum Manufactured under lice registered trademarks & Reserved. Built-in webcam, HD	3 (incl. 1x Anytime USB Charge functionality) 1 (incl. 1x eSATA/USB combo) 1 1 HDMI port 1.4a (output 24-bit color depth) 1 1 1 1 (digital) 1 10/100/1000 MBit/s  Spill-resistant isolated keyboard with number block Touchpad Status LED  On board Realtek ALC269Q-GR Internal stereo speakers, DTS Boost™ - maximizes acous of the mix, Sound volume control via function key Manufactured under license from DTS Licensing Limited registered trademarks & DTS Boost is a trademark of DTS Reserved. Built-in webcam, HD	3 (incl. 1x Anytime USB Charge functionality) 1 (incl. 1x eSATA/USB combo) 1 1 HDMI port 1.4a (output 24-bit color depth) 1 1 1 1 1 1 1 1 10/100/1000 MBit/s  Spill-resistant isolated keyboard with number block Touchpad Status LED  On board Realtek ALC269Q-GR Internal stereo speakers, DTS Boost™ - maximizes acoustic power of your notebook boof the mix, Sound volume control via function key Manufactured under license from DTS Licensing Limited. DTS, the Symbol, & DTS and registered trademarks & DTS Boost is a trademark of DTS, Inc. Product includes softwo Reserved.		

Page 3 / 7 www.fujitsu.com/fts/mobile

Power supply Rated voltage range						
	100 V 2/0 V /AC locus					
Dated frequency range	100 V - 240 V (AC Input) 50 Hz - 60 Hz					
Rated frequency range 1st battery	Li-lon battery 6-cell, 5200 mAh, 57 Wh  Li-lon battery 6-cell, 5200					
	mAh, 75 Wh					
Benchmark	Mobile Mark 2007 (readers mode – e.g. surfing the internet, writing E-mails, viewing documents)					
Runtime 1st battery	up to 7 hours  Battery life may vary depending on product model, configuration, applications, power management settings and					
Battery notes	features utilized. Battery recharge time varies depending on usage. The recharge capacity may decrease after some months so that the battery lifetime as well as operating time can not be assured for the whole lifetime of the notebook.					
Dimensions / Weight / Environmental						
Dimensions (W x D x H)	410 x 270 x 20.4 (front) / 35 (back) mm					
Weight	Approx. 3.0 kg					
Weight notes	Weight may vary depending on actual configuration (including battery pack)					
Additional Software						
Additional software (preinstalled)	EasyGuide online user documentation Adobe® Reader® (pdf reader) CyberLink YouCam (webcam software) Fujitsu Recovery (hard disk based recovery) Bluetooth Software Suite Norton Internet Security (incl. Firewall) 60 days version Microsoft Office (buy license to activate the pre-installed Microsoft Office)					
Additional software (optional)	Blu-ray playback software Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®					
Additional software (included as a CD/DVD)	Drivers & Utilities DVD (DUDVD) Recovery DVD (Windows® 7)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®	Drivers & Utilities DVD (DUDVD) Recovery DVD (Windows® 7)	Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®		
Security						
Physical Security	Kensington Lock support					
System and BIOS Security	Computrace® enabled BIOS					
User Security	User and supervisor BIOS password Hard disk password TPM					
Compliance						
Model	Fujitsu LIFEBOOK N532					
Germany	CS CS					
Europe	Nordic Swan in progress CB CE					
	EPEAT® Gold					
Russia	EPEAT® Gold GOST					
Saudi Arabia	GOST	n/sites/certificates				
Saudi Arabia Compliance link Warranty	GOST SASO http://globalsp.ts.fujitsu.com					
Saudi Arabia Compliance link Warranty Standard Warranty	GOST SASO http://globalsp.ts.fujitsu.com	у)				
Saudi Arabia Compliance link Warranty Standard Warranty	GOST SASO http://globalsp.ts.fujitsu.com		thin region FTS CEMEA&I, for a	ll other countries depending		
Russia Saudi Arabia Compliance link  Warranty Standard Warranty Service level  Warranty Terms & Conditions Maintenance and Support Services - the	GOST SASO http://globalsp.ts.fujitsu.com  1 year (depending on countr Collect & Return Service / Brir on local regulations) http://support.ts.fujitsu.com/	y) ng-in Service (for countries wit	thin region FTS CEMEA&I, for a	ll other countries depending		


Page 4 / 7 www.fujitsu.com/fts/mobile

## Warranty

Spare Parts availability 3 years after end of product life

Service Weblink

http://www.fujitsu.com/fts/services/support



# Recommended Accessories

#### **USB-Port Replicator PR07**



This Port Replicator is the perfect docking solution for notebooks without a docking connector. Turn your notebook into a desktop complete with two screens for a real productivity boost thanks to the DualView feature. Plus connect to the local area network and to all of your peripherals with a single USB plug.

Order Code: S26391-F6007-L300

# **USB 3.0 Port Replicator PR08**



The Fujitsu USB 3.0 Port Replicator PR08 is the solution for notebooks without a dedicated docking connector or in hot-desk environments. You can connect to the local area network, and to all of your peripherals with a single USB 3.0 plug and boost your productivity by extending your workspace over up to four displays.

Order Code: S26391-F6007-L400

# AC Adapter LIFEBOOK



Power your notebook at work, at home or on the road with a second power Order Code: source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

S26391-F478-L100

# Wireless Mouse WI200



The Wireless Mouse WI200 uses the latest wireless 2.4 GHz technology, and a high-resolution 1000 dpi optical sensor to give you the precision and S26381-K462-L100 reliability you need. Sporting a compact design with a stylish black finish, the WI200 wireless mouse is well suited to all environments and to each user whether right or left handed.

Order Code:

# Slim USB DVB-T Basic



Receive digital TV wherever you want: with the new Slim USB DVB-T Basic. Smaller than last generation, the new USB DVB-T Tuner has a slimmer and more portable design. You can also receive FM Radio signal with your laptop or PC anytime and anywhere. All this in efficient and an powersaving package.

Order Code: S26391-F7125-L3

Page 5 / 7 www.fujitsu.com/fts/mobile

# SOUNDSYSTEM DS E2000 Air



The new more powerful SOUNDSYSTEM DS E2000 Air gives you impressive, well-balanced sound throughout the frequency band. It is an unbeatable USB speaker set with a surprisingly small form factor. The robust satellite speakers are decorated with a deluxe piano finish and the base is adorned with warm ambient lighting.

Order Code: S26391-F7128-L600

Page 6 / 7 www.fujitsu.com/fts/mobile

# More information

#### **Fujitsu OPTIMIZATION Services**

In addition to Fujitsu LIFEBOOK N532, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

#### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

# **Computing Products**

www.fujitsu.com/global/services/computing/

#### Software

www.fujitsu.com/software/

# More information

Learn more about Fujitsu LIFEBOOK N532, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/qlobal/about/environment



# Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

# Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

### CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-09-27 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions